AMENDMENT UNDER 37 C.F.R. § 1.111 Attorney Docket No.: Q85964

Application No.: 10/522,893

REMARKS

Claims 1-12 are all the claims pending in the application.

Applicants have canceled claims 1-12 and added new claims 13-28 to provide different

claim coverage.

PRIOR ART REJECTIONS

The Examiner had rejected claims 1-12 as being either anticipated by, or obvious in new

of, Pritchard, Zoll and/or Halsnes. These rejections are all moot given that claims 1-12 have

been canceled. However, Applicants have the following comments regarding the new claims

and cited prior art.

An advantage of the claimed invention is that it has a one-way valve (such as item 14 for

example), completely outside of the body of the pump. As a result, maintenance, cleaning and

substitution are made easier when a filter becomes clogged or a seal fails. At the same time, the

second and the third valves in the pump act may as a stopcock, alternatively opening and closing

in the drawing step. This makes it safer and easier to maintain the external delivery valve.

At least these features are not disclosed or suggested in the prior art documents cited in

the Office Action.

In view of the above, reconsideration and allowance of this application are now believed

to be in order, and such actions are hereby solicited. If any points remain in issue which the

Examiner feels may be best resolved through a personal or telephone interview, the Examiner is

kindly requested to contact the undersigned at the telephone number listed below.

The USPTO is directed and authorized to charge all required fees, except for the Issue

Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any

overpayments to said Deposit Account.

5

AMENDMENT UNDER 37 C.F.R. § 1.111

Application No.: 10/522,893

Attorney Docket No.: Q85964

Respectfully submitted,

Registration No. 40,766

SUGHRUE MION, PLLC

Telephone: (202) 293-7060

Facsimile: (202) 293-7860

WASHINGTON OFFICE 23373

CUSTOMER NUMBER

Date: March 3, 2008